

Ship 2 Shore

FEATURING
PROTECTIVE
TOP COATS

FORBID. | PRODURATECT™

FORBID

ART

FORBID dramatically increases stain resistance while preserving the integrity of the fabric luster and softness.

Permanent staining from permanent marker and indigo dye transfer from blue jeans is a thing of the past. Simply use 70% isopropyl alcohol and its gone!

A CLEANABLE TOPCOAT IS FOREVER!



	LUNAR PRODURATECT™	Sea Salt LUN-1000		LIGHTHOUSE PRODURATECT™	Snow White LIT-4922
	TRADEWINDS FORBID.	Ultra White TRA-6648		WINDSONG FORBID.	Cloud WIS-739
	CARBON FIBER FORBID.	Rally Bright White CAR-1100		WINDSONG FORBID.	Polar Breeze WIS-724
	WINDSONG FORBID.	Sea Salt WIS-748		TRADEWINDS FORBID.	Arctic Frost TRA-6602
	COUNTERPANE PRODURATECT™	Snow CTP-906		LUNAR PRODURATECT™	White LUN-500
	ARMADA PRODURATECT™	Nautilus ARM-112		COUNTERPANE PRODURATECT™	Off White CTP-905

TRADEWINDS



Polar Dusk
TRA-6623

LIGHTHOUSE
PRODURATECT™

Off White
LIT-4923

LIGHTHOUSE
PRODURATECT™

Ivory
LIT-4920

JETSTREAM



Summer Lightning
JET-023

ARMADA

PRODURATECT™

Biscay Ivory
ARM-102

LUNAR
PRODURATECT™

Stinger Cream
LUN-600

LIGHTHOUSE
PRODURATECT™

Almond
LIT-4919

TRADEWINDS



Coastal Sand
TRA-6610

WINDSONG



White Cap
WIS-752

COUNTERPANE
PRODURATECT™

Almond Cream
CTP-904

WINDSONG



Baja Tan
WIS-754

TRADEWINDS



Ivory Coast
TRA-7708

ARMADA

PRODURATECT™

Sand Dollar
ARM-117

ARMADA
PRODURATECT™

Sand Dune
ARM-118

TRADEWINDS



Pearl
TRA-7720

LUNAR
PRODURATECT™

Moonlight
LUN-800

WINDSONG



Malibu Sand
WIS-755

WINDSONG
FORBID

Maui Sand
WIS-719

TRADEWINDS



Seashell
TRA-7719

COUNTERPANE
PRODURATECT™

Sand Dollar
CTP-903

WINDSONG



Vanilla Cream
WIS-753

ARMADA
PRODURATECT™

Sand Beach
ARM-119



COUNTERPANE
PRODURATECT™

Pearl
CTP-909

WINDSONG





Moon Beam
WIS-721



ARMADA
PRODURATECT™
Sugar Cane
ARM-123

JETSTREAM
FORBID®
Gold Rush
JET-011

TRADEWINDS
FORBID®
Carnival
TRA-6608



WINDSONG
FORBID®
Pelican
WIS-757

JETSTREAM
FORBID®
Brilliant Bronze
JET-003


ARMADA
PRODURATECT™
Sangria
ARM-120



TRADEWINDS
FORBID®
Sandpointe
TRA-7716

BRUSHED ALUMINUM
FORBID®
Gold
ALU-200


BRUSHED ALUMINUM
FORBID®
Burgundy
ALU-500



LUNAR
PRODURATECT™
Med. Neutral
LUN-100

TRADEWINDS
FORBID®
Deep Suntan
TRA-6637



LUNAR
PRODURATECT™
Burgundy
LUN-1400



COUNTERPANE
PRODURATECT™
Antique Taupe
CTP-511

WINDSONG
FORBID®
Cappuccino
WIS-706

COUNTERPANE
PRODURATECT™
Dark Cherry
CTP-512




JETSTREAM
FORBID®
Bonanza Gold
JET-002

TRADEWINDS
FORBID®
Coconut Bark
TRA-6611

WINDSONG
FORBID®
Cajun Spice
WIS-737

			
WINDSONG FORBID® Sun Glow WIS-749	TRADEWINDS FORBID® Sunkiss TRA-6627	WINDSONG FORBID® Cancun WIS-738	LUNAR PRODURATECT™ American Beauty LUN-700
			
WINDSONG FORBID® Jamaican Sun WIS-716	JETSTREAM FORBID® Saffron Yellow JET-022	WINDSONG FORBID® Tropical Red WIS-750	COUNTERPANE PRODURATECT™ Cardinal CTP-901
			
ARMADA PRODURATECT™ Summer Sun ARM-124	TRADEWINDS FORBID® Golden Dawn TRA-6639	TRADEWINDS FORBID® Sunset Red TRA-6628	WINDSONG FORBID® Lipstick WIS-718
			
CARBON FIBER FORBID® Caution Yellow CAR-400	WINDSONG FORBID® Bittersweet WIS-735	JETSTREAM FORBID® Retro Red JET-009	ARMADA PRODURATECT™ Portside ARM-114
			
JETSTREAM FORBID® Sunshine Yellow JET-025	TRADEWINDS FORBID® Tangelo TRA-6612	CARBON FIBER FORBID® Stop Light Red CAR-300	TRADEWINDS FORBID® Hawaiian Red TRA-6618
			
ARMADA PRODURATECT™ Lemon Chiffon ARM-108	ARMADA PRODURATECT™ Sunset ARM-125	TRADEWINDS FORBID® Tropical Punch TRA-6629	ARMADA PRODURATECT™ Fire Island ARM-106




WINDSONG
FORBID®
Royal Red
WIS-727




JETSTREAM
FORBID®
Lime Green
JET-015




TRADEWINDS
FORBID®
Sea Frost
TRA-7717



CARBON FIBER
FORBID®
Acceleration Blue
CAR-1300




ARMADA
PRODURATECT™
Red Sail
ARM-116




JETSTREAM
FORBID®
Mint Green
JET-018



TRADEWINDS
FORBID®
Deep Lagoon
TRA-6614




ARMADA
PRODURATECT™
Mariner
ARM-109



TRADEWINDS
FORBID®
Lively Leaf
TRA-6642



JETSTREAM
FORBID®
Imperial Green
JET-012




JETSTREAM
FORBID®
Blue Turquoise
JET-001




TRADEWINDS
FORBID®
Azure
TRA-6633




WINDSONG
FORBID®
Lime Cooler
WIS-717




TRADEWINDS
FORBID®
Cascade Pine
TRA-6636



WINDSONG
FORBID®
Aqua Spray
WIS-702



LUNAR
PRODURATECT™
Military Blue
LUN-1200




ARMADA
PRODURATECT™
Fiesta
ARM-105




ARMADA
PRODURATECT™
Island Palm
ARM-107




ARMADA
PRODURATECT™
Montego
ARM-110




COUNTERPANE
PRODURATECT™
Navy
CTP-507




BRUSHED ALUMINUM
FORBID®
Lime Green
ALU-400



























WINDSONG
FORBID®
Palm Green
WIS-723




WINDSONG
FORBID®
Teal Waters
WIS-733




TRADEWINDS
FORBID®
Delta Blue
TRA-6615


							
TRADEWINDS FORBID _®	Midnight Surf TRA-7711	JETSTREAM FORBID _®	Crystal Water JET-007	LUNAR PRODURATECT™	Tahiti Reef LUN-1300	ARMADA PRODURATECT™	Ensign ARM-104
							
WINDSONG FORBID _®	Alaskan Night WIS-701	TRADEWINDS FORBID _®	Caribbean TRA-6606	WINDSONG FORBID _®	Tahiti Reef WIS-732	TRADEWINDS FORBID _®	Bahama TRA-6603
							
TRADEWINDS FORBID _®	Gentian Blue TRA-6638	ARMADA PRODURATECT™	Shallow Water ARM-122	COUNTERPANE PRODURATECT™	Bruin Blue CTP-902	WINDSONG FORBID _®	Cayman Blue WIS-707
							
TRADEWINDS FORBID _®	Tiara Blue TRA-6647	WINDSONG FORBID _®	Island Sky WIS-715	WINDSONG FORBID _®	Ice Water WIS-713	ARMADA PRODURATECT™	Seascape ARM-121
							
CARBON FIBER FORBID _®	Blue Streak CAR-900	ARMADA PRODURATECT™	Breakwater ARM-103	TRADEWINDS FORBID _®	Laguna Surf TRA-6641	CARBON FIBER FORBID _®	Racy Blue CAR-500
							
JETSTREAM FORBID _®	Cool Blue JET-005	TRADEWINDS FORBID _®	Aleutian TRA-6600	WINDSONG FORBID _®	Marine Blue WIS-745	TRADEWINDS FORBID _®	Abyss TRA-6631




WINDSONG
FORBID®
Nautical Blue
WIS-746



TRADEWINDS
FORBID®
Moonmisty
TRA-6620




CARBON FIBER
FORBID®
Quicksilver
CAR-200




TRADEWINDS
FORBID®
Blush
TRA-6634



ARMADA
PRODURATECT™
Baltic
ARM-101



CARBON FIBER
FORBID®
Finish Line Pearl
CAR-800



TRADEWINDS
FORBID®
Stormy
TRA-7718




TRADEWINDS
FORBID®
Monte Carlo
TRA-6644




TRADEWINDS
FORBID®
Ultra Marine
TRA-6630




LUNAR
PRODURATECT™
Stinger Bisque
LUN-900




BRUSHED ALUMINUM
FORBID®
Silver
ALU-300



WINDSONG
FORBID®
Hibiscus
WIS-741




LIGHTHOUSE
PRODURATECT™
Gray
LIT-4921




COUNTERPANE
PRODURATECT™
Mist
CTP-907




CARBON FIBER
FORBID®
Cruiser Copper
CAR-1200




WINDSONG
FORBID®
Asian Plum
WIS-704




ARMADA
PRODURATECT™
Atlantic Mist
ARM-100




JETSTREAM
FORBID®
Lone Star Silver
JET-016



JETSTREAM
FORBID®
Copper Penny
JET-006



JETSTREAM
FORBID®
Lilac Shimmer
JET-014



WINDSONG
FORBID®
Fog
WIS-751



JETSTREAM
FORBID®
Diamond Jubilee
JET-008



JETSTREAM
FORBID®
Glowing Flame
JET-010



CARBON FIBER
FORBID®
Performance Purple
CAR-1000



JETSTREAM Majestic Purple
JET-017
FORBID




TRADEWINDS Pomona Plum
TRA-6645
FORBID




WINDSONG Ink
WIS-743
FORBID



ARMADA Purple Haze
ARM-115
PRODURATECT™



ARMADA Mystic
ARM-111
PRODURATECT™



WINDSONG St. Thomas Dusk
WIS-731
FORBID



TRADEWINDS Pacific Mist
TRA-6622
FORBID




LUNAR Harbor Gray
LUN-1100
PRODURATECT™



TRADEWINDS Harbor Grey
TRA-6617
FORBID



TRADEWINDS Dolphin
TRA-7701
FORBID



ARMADA Perfect Storm
ARM-113
PRODURATECT™



COUNTERPANE Greystone
CTP-508
PRODURATECT™




BRUSHED ALUMINUM Black
ALU-100
FORBID



JETSTREAM Black Pearl
JET-019
FORBID




CARBON FIBER Overdrive Charcoal
CAR-600
FORBID



WINDSONG Pebble Beach
WIS-756
FORBID



LUNAR Med. Flint
LUN-300
PRODURATECT™




COUNTERPANE Trolley Grey
CTP-510
PRODURATECT™



WINDSONG Hurricane Black
WIS-742
FORBID



TRADEWINDS Black Sea
TRA-6604
FORBID



COUNTERPANE Ebony
CTP-908
PRODURATECT™



CARBON FIBER Classic Black
CAR-100
FORBID



LUNAR Black
LUN-400
PRODURATECT™



ARMADA Tsunami
ARM-126
PRODURATECT™

WINDSONG

Ocean Storm
WIS-722



MARINE HEADLINER
PRODURATECT™

White
HDL-1004

TRADEWINDS

Porpoise
TRA-6624



MARINE UNDERLINER

Black
MARU-001

COUNTERPANE

PRODURATECT™

Briquette
CTP-509

MARINE UNDERLINER

Grey
MARU-003

LUNAR

PRODURATECT™

Dk. Pewter
LUN-200

MARINE UNDERLINER

White
MARU-002

MARINE UNDERLINER

Bright White
MARU-004

ARMADA with PRODURATECT™

Manufactured to meet the following typical properties

Width	54"
Roll Size	40 yds.
Nominal Weight	30 oz. per lin. yd.
Contents	100% Virgin Vinyl
Cold Crack	-10°F
UV Stabilized Pigments	650 hours minimum QUV
Abrasion Resistance	Wyzenbeek (100,000 cycles #10 cotton duck)
Class Ratings	ASTM D 3690 - Class A
Thickness	1.02 mm
Mildew Resistance (ASTM G-21)	Pass
Heat Sealable	Yes
Anti-Bacterial/Anti-Microbial (AATCC 147)	Pass

Meets Flammability Requirements*:

Motor Vehicle Safety Standard 302
California Technical Bulletin 117-2013, Section 1**

BIFMA, Class A
UFAC, Class 1

*This item and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

**This product when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1

Cleaning Instructions:

This product should be cleaned with mild soap and water.
Do not use alcohol based Cleaners.

ARMADA
PRODURATECT™

Seascape
ARM-121

BRUSHED ALUMINUM with FORBID®

Manufactured to meet the following typical properties

Width	54"
Roll Size	30 yds.
Nominal Weight	33 oz. per lin. yd.
Contents	100% Virgin Vinyl
Cold Crack	-10°F
UV Stabilized Pigments	650 hours minimum QUV
Abrasion Resistance	Wyzenbeek (100,000 cycles #10 cotton duck)
Class Ratings	ASTM D 3690 - Class A
Thickness	1.02 mm
Mildew Resistance (ASTM G-21)	Pass
Anti-Bacterial/Anti-Microbial (AATCC 147)	Pass
Weatherometer	1,500 Hours Minimum

Meets Flammability Requirements*:

Motor Vehicle Safety Standard 302
California Technical Bulletin 117-2013, Section 1**
BIFMA, Class A
UFAC, Class 1

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

**This product when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1

Cleaning Instructions:

Refer to FORBID® Card

CARBON FIBER with FORBID®

Manufactured to meet the following typical properties

Width	54"
Roll Size	30 yds.
Nominal Weight	33 oz. per lin. yd.
Contents	100% Virgin Vinyl
Cold Crack	-10°F
UV Stabilized Pigments	650 hours minimum QUV
Abrasion Resistance	Wyzenbeek (100,000 cycles #10 cotton duck)
Class Ratings	ASTM D 3690 - Class A
Thickness	1.02 mm
Mildew Resistance (ASTM G-21)	Pass
Anti-Bacterial/Anti-Microbial (AATCC 147)	Pass
Weatherometer	1,500 Hours Minimum

Meets Flammability Requirements*:

Motor Vehicle Safety Standard 302
California Technical Bulletin 117-2013, Section 1**
BIFMA, Class A
UFAC, Class 1

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

**This product when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1

Cleaning Instructions:

Refer to FORBID® Card

CARBON FIBER



Finish Line Pearl
CAR-800

BRUSHED
ALUMINUM
FORBID®

Silver
ALU-300

COUNTERPANE with PRODURATECT™

Manufactured to meet the following typical properties

Width	54"
Roll Size	30 yds.
Nominal Weight	30 oz. per lin. yd.
Contents	100% Virgin Vinyl
Cold Crack	-10°F
UV Stabilized Pigments	650 hours minimum QUV
Abrasion Resistance	Wyzenbeek (100,000 cycles #10 cotton duck)
Class Ratings	ASTM D 3690 - Class A
Thickness	1.05 mm
Mildew Resistance (ASTM G-21)	Pass
Anti-Bacterial/Anti-Microbial (AATCC 147)	Pass

Meets Flammability Requirements*:

Motor Vehicle Safety Standard 302
New York and New Jersey Port Authority
Boston Fire Dept. Code
California Technical Bulletin 117-2013, Section 1**
CID A-A-2950 • BIFMA, Class A • UFAC, Class 1 • NFPA 260, Class 1

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

**This product when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1

Cleaning Instructions:

This product should be cleaned with mild soap and water.
Do not use alcohol based cleaners.

Manufactured to meet the following typical properties

Width 54"
 Roll Size 30 yds.
 Nominal Weight 30 oz. per lin. yd.
 Contents 100% Virgin Vinyl
 Cold Crack -10°F
 UV Stabilized Pigments 650 hours minimum QUV
 Abrasion Resistance Wyzenbeek (100,000 cycles #10 cotton duck)
 Class Ratings ASTM D 3690 - Class A
 Thickness 1.10 mm
 Mildew Resistance (ASTM G-21) Pass
 Anti-Bacterial/Anti-Microbial (AATCC 147) Pass

Meets Flammability Requirements*:
 Motor Vehicle Safety Standard 302
 California Technical Bulletin 117-2013, Section 1**
 BIFMA, Class A
 UFAC, Class 1

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.


**This product when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1

Cleaning Instructions:

Refer to  **FORBID** Card



COUNTERPANE Almond Cream
 PRODURATECT™ CTP-904



LIGHTHOUSE with **PRODURATECT™**

Manufactured to meet the following typical properties

Width 54"
 Roll Size 40 yds.
 Nominal Weight 28 oz. per lin. yd.
 Contents 100% Virgin Vinyl
 Backing 100% Polyester
 Cold Crack -10°F
 UV Stabilized Pigments 650 Hours Minimum QUV
 Thickness 0.97 mm
 Mildew Resistance (ASTM G-21) Pass
 Anti-Bacterial/Anti-Microbial (AATCC 147) Pass
 Weatherometer 1,500 Hours minimum

Cleaning Instructions:

This product should be cleaned with mild soap and water.
 Do not use alcohol based cleaners.

LUNAR with **PRODURATECT™**

Manufactured to meet the following typical properties

Width 54"
 Roll Size 30 yds.
 Nominal Weight 26 oz. per lin. yd.
 Contents 100% Virgin Vinyl
 Cold Crack -10°F
 UV Stabilized Pigments 650 hours minimum QUV
 Abrasion Resistance Wyzenbeek (100,000 cycles #10 cotton duck)
 Class Ratings ASTM D 3690 - Class A
 Thickness 1.0 mm
 Mildew Resistance (ASTM G-21) Pass
 Anti-Bacterial/Anti-Microbial (AATCC 147) Pass

Meets Flammability Requirements*:
 Motor Vehicle Safety Standard 302
 California Technical Bulletin 117-2013, Section 1**
 BIFMA, Class A
 UFAC, Class 1

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

**This product when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1

Cleaning Instructions:

This product should be cleaned with mild soap and water.
 Do not use alcohol based cleaners.

LIGHTHOUSE
PRODURATECT™

Snow White
LIT-4922

LUNAR
PRODURATECT™

Military
LUN-1200

MARINE HEADLINER with PRODURATECT™

Manufactured to meet the following typical properties

Width	54"
Roll Size	50 yds.
Nominal Weight	21 oz. per lin. yd.
Contents	100% Virgin Vinyl
Marine Cold Crack	-10°F
UV Stabilized Pigments	650 hours minimum QUV
Mildew Resistance (ASTM G-21)	Pass

Meets Flammability Requirements*:

Motor Vehicle Safety Standard 302
California Technical Bulletin 117-2013, Section 1**
BIFMA, Class A
UFAC, Class 1

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

**This product when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1

Cleaning Instructions:

This product should be cleaned with mild soap and water.
Do not use alcohol based cleaners.

MARINE UNDERLINER

Manufactured to meet the following typical properties

Width	54"
Roll Size	100 yds.
Nominal Weight	11 oz. per lin. yd.
Contents	PVC Coated Polyester
Cold Crack	-20°F
Abrasion Resistance	Wyzenbeek (50,000 cycles #10 cotton duck)
Class Ratings	ASTM D 3690 - Class A
Thickness	0.5 mm
Mildew Resistance (NY563/ASTM G-21-90)	Pass

Cleaning Instructions:

This product should be cleaned with mild soap and water.
Do not use alcohol based cleaners.

MARINE HEADLINER
PRODURATECT™

Ultra White
HDL-1004

MARINE UNDERLINER

White
MARU-002

Manufactured to meet the following typical properties

Width 54"
 Roll Size 30 yds.
 Nominal Weight 32 oz. per lin. yd.
 Contents 100% Virgin Vinyl
 Cold Crack -10°F
 UV Stabilized Pigments 650 hours minimum QUV
 Abrasion Resistance Wyzenbeek (100,000 cycles #10 cotton duck)
 Class Ratings ASTM D 3690 - Class A
 Thickness 1.02 mm
 Mildew Resistance (ASTM G-21) Pass
 Anti-Bacterial/Anti-Microbial (AATCC 147) Pass

Meets Flammability Requirements*:

Motor Vehicle Safety Standard 302
 California Technical Bulletin 117-2013, Section 1**
 BIFMA, Class A
 UFAC, Class 1

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual life conditions.

**This product when tested with suitable component materials, may comply with California Technical Bulletin 117-2013, Section 1

Cleaning Instructions:

Refer to FORBID® Card

WINDSONG
 FORBID®

Fog
 WIS-751

TRADEWINDS
 FORBID®

Ultra White
 TRA-6648

PRODURATECT™

A cleanable topcoat that will help preserve the original beauty of this product.

This product can be cleaned with mild soap and water.

Do not use alcohol based cleaners.

FORBID® dramatically increases the stain resistance, while preserving the integrity of the fabric luster and softness.

FORBID® Cleaning instructions:

Method One: For most common stains and spills, use mild soap and water.

Method Two: If Method One doesn't work, use the following household items - FANTASTIK® • 409® • MR. CLEAN.

Method Three: For tougher stains such as permanent marker, paint and lipstick, use a 70% isopropyl alcohol wipe.

For more information, please visit www.forbidst.com

The Endura™ care guide addresses the performance of FORBID products as indicated in product testing, conducted under laboratory conditions. Results may vary under actual conditions. The information contained in the care guide is not a guarantee and does not relieve the user of the responsibility of proper and safe use of the product and the use of recommended cleaning agents. The use of certain agents has been found to be harmful to the surface appearance and lifespan of vinyl, please familiarize yourself with those substrates for best results. Endura™ Topcoat, FORBID, is resistant to most common stains; however, existing dyes and pigments in some staining agents have been seen to create a permanent stain if not properly treated in a timely manner. Endura™ maintains the highest vinyl production standards. Anomalies may occur during finishing if the vinyl comes into contact with incompatible forms.

For more information, please visit

www.forbidst.com

CLEANING METHOD	STAINING AGENT					
	DIRT	PERMANENT MARKER	INK	LIPSTICK	BLEACH	BLUE JEAN
METHOD 1	X	X	X	X	X	X
METHOD 2	X	X	X	X	X	X
METHOD 3	X	X	X	X	X	X

FORBID
 SKT